PRODUCT DATASHEET

ES-HG-S21-F17-R50

Precision Transmission Component

Cup Harmonic Gearboxes | Special Standard Cup Unit

Product Overview

Precision Transmission Component with rated Torque 16 N·m, instantaneous Maximum Torque 70 N·m and start/Stop Peak Torque 34 N·m.

Key Specifications

PARAMETER	VALUE	UNIT
Rated Torque	16	N·m
Instantaneous Maximum Torque	70	N·m
Start/Stop Peak Torque	34	N·m
Reduction Ratio	50	
Backlash	≤20	arc sec
Maximum Input Speed	7300	r/min
Allowable Average Torque	26	N·m
Frame Size	17	
Weight	0.67	kg

Technical Specifications

PARAMETER	SPECIFICATION	UNIT	NOTES
PERFORMANCE			
Rated Torque	16	N·m	Frame Size: 17; Reduction Ratio: 50
Instantaneous Maximum Torque	70	N·m	Frame Size: 17; Reduction Ratio: 50
Start/Stop Peak Torque	34	N·m	Frame Size: 17; Reduction Ratio: 50
Backlash	≤20	arc sec	Frame Size: 17; Reduction Ratio: 50
Allowable Average Torque	26	N·m	Frame Size: 17; Reduction Ratio: 50
MECHANICAL			
Frame Size	17		Frame Size: 17; Reduction Ratio: 50
Weight	0.67	kg	Frame Size: 17; Reduction Ratio: 50
Wave Generator Dimension T	12.8+0.10 / 9.4+0.10	mm	Frame Size: 17; Option Index: 1; Option Label: Wave generator Wave generator- - A A φ8 φ11; Reduction Ratio: 50; Wave Generator Option: wave-generator-d1d0edf3704a / Frame Size: 17; Option Label: Wave generator Wave generator- - A A φ8 φ11; Reduction Ratio: 50; Wave Generator Option: wave-generator-239fe587616d
Wave Generator Bore U	φ8H7 φ11H7		Frame Size: 17; Option Label: Wave generator Wave generator- - A A φ8 φ11; Reduction Ratio: 50; Wave Generator Option: wave-generator-239fe587616d / Frame Size: 17; Option Index: 1; Option Label: Wave generator Wave generator- - A A φ8 φ11; Reduction Ratio: 50; Wave Generator Option: wave-generator-d1d0edf3704a
Wave Generator Keyway W	4JS9/P9 / 3JS9/P9		Frame Size: 17; Option Index: 1; Option Label: Wave generator Wave generator- - A A φ8 φ11; Reduction Ratio: 50; Wave Generator Option: wave-generator-d1d0edf3704a / Frame Size: 17; Option Label: Wave generator Wave generator- - A A φ8 φ11; Reduction Ratio: 50; Wave Generator Option: wave-generator-239fe587616d
RELIABILITY			
Design Life	10000	h	Frame Size: 17; Reduction Ratio: 50
ADDITIONAL SPECIFICATIONS			
Reduction Ratio	50		Frame Size: 17; Reduction Ratio: 50
Maximum Input Speed	7300	r/min	Frame Size: 17; Reduction Ratio: 50
Average Input Speed	3500	r/min	Frame Size: 17; Reduction Ratio: 50

Dimensional & Integration Overview

Mechanical Overview

PARAMETER	VALUE	UNIT
Frame Size	17	
Weight	0.67	kg
Wave Generator Dimension T	12.8+0.10 / 9.4+0.10	mm
Wave Generator Bore U	φ8H7 φ11H7	
Wave Generator Keyway W	4JS9/P9 / 3JS9/P9	

View Product Online Request Engineering Data Request a Quote

01 Specifications are subject to change without notice. Verify the current product configuration before final design release.

02 2D drawings, CAD files and integration documentation are controlled documents and are supplied separately on request.