

PRODUCT DATASHEET

ES-PG-C36-S007-V002

Precision Transmission Component

Ultra-Precision Planetary Gearboxes | Ultra-Precision Planetary Gearbox Series - ES-PG-C36-S007

Product Overview

Precision Transmission Component with backlash 5 arcmin, frame Size 60 mm and compatible Servo Motor Power 400 W.

Key Specifications

PARAMETER	VALUE	UNIT
Backlash	5	arcmin
Frame Size	60	mm
Compatible Servo Motor Power	400	W
Motor Adapter Interface	T3	
Number of Reduction Stages	1, 2	
Planetary Gearbox Housing Length L3	60.5	mm

Technical Specifications

PARAMETER	SPECIFICATION	UNIT	NOTES
PERFORMANCE			
Backlash	5	arcmin	Stage: 1
MECHANICAL			
Frame Size	60	mm	
Planetary Gearbox Housing Length L3	60.5	mm	Stage: 1
ADDITIONAL SPECIFICATIONS			
Compatible Servo Motor Power	400	W	
Motor Adapter Interface	T3		
Number of Reduction Stages	1, 2		

Dimensional & Integration Overview

Mechanical Overview

PARAMETER	VALUE	UNIT
Frame Size	60	mm
Planetary Gearbox Housing Length L3	60.5	mm

[View Product Online](#) [Request Engineering Data](#) [Request a Quote](#)

01 Specifications are subject to change without notice. Verify the current product configuration before final design release.

02 2D drawings, CAD files and integration documentation are controlled documents and are supplied separately on request.