

PRODUCT DATASHEET

ES-PG-C36-S010-V013

Precision Transmission Component

Ultra-Precision Planetary Gearboxes | Ultra-Precision Planetary Gearbox Series - ES-PG-C36-S010

Product Overview

Precision Transmission Component with frame Size 60 mm, compatible Servo Motor Power 400 W and motor Adapter Interface T1.

Key Specifications

| PARAMETER                            | VALUE              | UNIT |
|--------------------------------------|--------------------|------|
| Frame Size                           | 60                 | mm   |
| Compatible Servo Motor Power         | 400                | W    |
| Motor Adapter Interface              | T1                 |      |
| Number of Reduction Stages           | 1, 3, 2            |      |
| Planetary Gearbox Housing Length L3  | 46.5 / 59.5 / 72.5 | mm   |
| Planetary Gearbox Key Height H1      | 16                 | mm   |
| Planetary Gearbox Key Length L6      | 25                 | mm   |
| Planetary Gearbox Key Width B1       | 5                  | mm   |
| Planetary Gearbox Spigot Diameter D6 | Ø40h7              | mm   |

## Technical Specifications

| PARAMETER                            | SPECIFICATION      | UNIT | NOTES                              |
|--------------------------------------|--------------------|------|------------------------------------|
| MECHANICAL                           |                    |      |                                    |
| Frame Size                           | 60                 | mm   |                                    |
| Planetary Gearbox Key Width B1       | 5                  | mm   |                                    |
| Planetary Gearbox Key Height H1      | 16                 | mm   |                                    |
| Planetary Gearbox Housing Length L3  | 46.5 / 59.5 / 72.5 | mm   | Varies by published configuration. |
| Planetary Gearbox Spigot Diameter D6 | Ø40h7              | mm   |                                    |
| Planetary Gearbox Key Length L6      | 25                 | mm   |                                    |
| ADDITIONAL SPECIFICATIONS            |                    |      |                                    |
| Compatible Servo Motor Power         | 400                | W    |                                    |
| Motor Adapter Interface              | T1                 |      |                                    |
| Number of Reduction Stages           | 1, 3, 2            |      |                                    |

## Dimensional & Integration Overview

### Mechanical Overview

| PARAMETER                            | VALUE              | UNIT |
|--------------------------------------|--------------------|------|
| Frame Size                           | 60                 | mm   |
| Planetary Gearbox Key Width B1       | 5                  | mm   |
| Planetary Gearbox Key Height H1      | 16                 | mm   |
| Planetary Gearbox Housing Length L3  | 46.5 / 59.5 / 72.5 | mm   |
| Planetary Gearbox Spigot Diameter D6 | Ø40h7              | mm   |
| Planetary Gearbox Key Length L6      | 25                 | mm   |

[View Product Online](#)   [Request Engineering Data](#)   [Request a Quote](#)

**01** Specifications are subject to change without notice. Verify the current product configuration before final design release.

**02** 2D drawings, CAD files and integration documentation are controlled documents and are supplied separately on request.